

Technical information

WAY

BEYOND REALITY

Foxy

Table of contents

Technical information	3
Materials	4
Line plan	5
Scheme of riser's straps	6
Information about Foxy 21m ²	7
Information about Foxy 23 m ²	8

Technical information

			19	21	23
	<i>Projetée</i>	m2	16,27	17,98	19,69
Corde	<i>Maximum</i>	m	2,33	2,44	2,55
Suspentes	<i>Totales</i>	m	261	275,8	289,3
	<i>Répartition</i>		2+1/3/4/2	2+1/3/4/2	2+1/3/4/2
Élevateurs	<i>Nombre</i>	4	A+A'/B/C/D	A+A'/B/C/D	A+A'/B/C/D
	<i>Trims</i>		NO NO	NO	
	<i>Accelerateur</i>	mm	100	100	100
PTV	<i>Minimum</i>	kg	60	75	90
	<i>Maximum</i>	kg	80	95	110
Poids de l'aile		kg	4,4	4,7	5
Homologation	EN		-	B	B


Materials

CANOPY	FABRIC CODE	SUPPLIER
UPPER SURFACE FOR LEADING EDGE	9017 E25	PORCHER IND (FRANCE)
UPPER SURFACE FOR THE REST	70000 E3H	PORCHER IND (FRANCE)
BOTTOM SURFACE	70000 E3H	Dominico Tex Co (KOREA)
RIBS	70000 E91	PORCHER IND (FRANCE)
DIAGONALS	70000 E91	PORCHER IND (FRANCE)
LOOPS	LKI - 10	KOLON IND. (KOREA)
REINFORCEMENT LOOPS	SOFT DACRON	D-P (GERMANY)
TRAILING EDGE REINFORCEMENT	DACRON	D-P (GERMANY)
REINFORCEMENT RIBS	LTN-0,8 STICK	SPORTWARE.CO (CHINA)
THREAD	SERAFILE 60	AMAN (GERMANY)


SUSPENSION LINES	FABRIC CODE	SUPPLIER
UPPER CASCADES	DC - 40	LIROS GMHB (GERMANY)
UPPER CASCADES	DC - 60	LIROS GMHB (GERMANY)
UPPER CASCADES	DC - 100	LIROS GMHB (GERMANY)
UPPER CASCADES	A-8000/U 50	EDELRID (GERMANY)
MIDDLE CASCADES	TNL-080	TEIJIM LIMITED (JAPAN)
MIDDLE CASCADES	DC - 60	LIROS GMHB (GERMANY)
MIDDLE CASCADES	A-8000/U 50	EDELRID (GERMANY)
MIDDLE CASCADES	A-8000/U 130	EDELRID (GERMANY)
MIDDLE CASCADES	A-8000/U 190	EDELRID (GERMANY)
MAIN	A-8000/U 70	EDELRID (GERMANY)
MAIN	A-8000/U 230	EDELRID (GERMANY)
MAIN	A-8000/U 360	EDELRID (GERMANY)
MAIN BREAK	TNL-280	TEIJIM LIMITED (JAPAN)
THREAD	Serafil 60	AMAN (GERMANY)

RISERS	FABRIC CODE	SUPPLIER
MATERIAL	10148	COUSIN (FRANCE)
COLOR INDICATOR	PAD	TECNI SANGLES (FRANCE)
THREAD	V138	YOUNG CHANG T&C LTD
PULLEYS	RF25109	RONSTAN (AUSTRALIA)

Line plan



Scheme of the riser's straps



Information about Foxy 21m²

FOXY 21 LINES HEIGHT m/m

	A	B	C	D	br
1	6625	6546	6590	6711	6786
2	6579	6500	6539	6661	6608
3	6558	6479	6509	6633	6452
4	6581	6501	6533	6657	6431
5	6571	6477	6505	6607	6324
6	6546	6453	6475	6575	6253
7	6542	6451	6465	6556	6243
8	6567	6477	6492	6581	6285
9	6443	6373	6394	6454	6219
10	6396	6329	6345	6402	6149
11	6220	6169	6180	6225	5834
12	6181	6134	6145	6187	
13	5920	5788	5893		
14	5793		5811		

RISERS LENGTH m/m

A	A'	B	C	D	
470	470	470	470	470	Standard
370	370	400	435	470	Accelerated
100	100	70	35	0	Travel

Size 21

Information about Foxy 23m²

FOXY-23 LINES HEIGHT m/m

	A	B	C	D	br
1	6933	6850	6887	7017	7039
2	6885	6801	6835	6961	6855
3	6868	6783	6805	6935	6694
4	6892	6806	6831	6961	6675
5	6883	6773	6807	6912	6563
6	6860	6750	6776	6880	6490
7	6857	6749	6767	6858	6480
8	6883	6779	6794	6885	6524
9	6749	6672	6695	6756	6452
10	6698	6628	6644	6699	6377
11	6515	6455	6472	6519	6028
12	6470	6419	6433	6479	
13	6210	6077	6185		
14	6079		6102		

RISERS LENGTH m/m

A	A'	B	C	D	
470	470	470	470	470	Standard
370	370	400	435	470	Accelerated
100	100	70	35	0	Travel

Size 23

WAY

BEYOND REALITY